

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	D.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/771,966	•	02/04/2004	Michael A. Carmody	D5407-197	3855
25397	7590	08/10/2006		EXAMINER	
DUANE,		S, LLP FREEWAY	SMITH, MA	SMITH, MATTHEW J	
SUITE 31.		TREEWAI	ART UNIT	PAPER NUMBER	
HOUSTO	N, TX 77	7027	3672		
				DATE MAILED: 08/10/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary							
		10/771,966	CARMODY ET AL.				
	Office Action Summary	Examiner	Art Unit				
	The MAN INC DATE of this communication and	Matthew J. Smith	3672				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)🖂	Responsive to communication(s) filed on <u>08 Ju</u>	<u>ne 2006</u> .					
,	This action is FINAL . 2b)⊠ This action is non-final.						
3)							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
5)⊠ 6)⊠ 7)⊠	Claim(s) <u>1-20</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) <u>1-12 and 20</u> is/are allowed. Claim(s) <u>13-18</u> is/are rejected. Claim(s) <u>19</u> is/are objected to. Claim(s) are subject to restriction and/or						
Applicati	on Papers						
10)⊠	The specification is objected to by the Examiner The drawing(s) filed on <u>24 February 2004</u> is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction to the oath or declaration is objected to by the Ex	e: a) ☐ accepted or b) ☒ objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority u	ınder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachmen		∆ □ 1-4 ' 0	(DTO 412)				
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

Drawings

The drawings are objected to under 37 CFR 1.84(h)(5) because Figures 16b, 17b show(s) modified forms of construction in the same view.

The drawings are objected to because the cross-sectioned figures, i.e., Fig. 15; 16a,b; 17a,b; 18a,b; 19a,b do not illustrate proper cross-hatching. Figures 1-14 do not provide clarity with respect to understanding the claimed invention.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 13 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In line 9, there is no antecedent basis for "show" and in line 10, there is no antecedent basis for "tubular".

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 14-18 are rejected under 35 U.S.C. 102(e) as being anticipated by Mackay et al. (6655459).

Page 4

Art Unit: 3672

Mackay et al. disclose a well completion method comprising; running in a tubular 101 having a shoe 110; providing a sleeve 131 to cover a recess in the shoe; creating a sealed annular space 132 around the recess with the sleeve; providing loosely-packed sand 122 in the space; cementing the tubular (col. 5, lines 28-59); removing the sleeve (Fig. 4) to expose the recess; drilling out the sleeve (col. 5, lines 43-44); inserting a tubular string 200 after removing the sleeve; expanding the string in the recess (Fig. 4); and providing a drift diameter for the string after expansion as least as large as the shoe drift diameter outside the recess.

Response to Arguments

Applicant's arguments, see page 7, filed 8 June 2006, with respect to the rejection of claims 1-4, 7-9, 11, and 12 under 35 U.S.C. 102 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new rejection is made. The examiner did not prosecute claim 14 as an independent claim in the previous Office action and apologizes for this oversight.

Allowable Subject Matter

Claims 1-12 and 20 are allowed.

Claim 19 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J. Smith whose telephone number is 571-272-7034. The examiner can normally be reached on T-F, 9-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on 571-272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/771,966 Page 6

Art Unit: 3672

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Supervisory Patent Examiner

Art Unit 3672

MJS MJS 3 August 2006